

Amendments to the Claims

IN THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims regarding the present application.

1. 1. (Previously presented) A menu-driven electronic device comprising:
 2. a. a display configured to selectively display at least one of a plurality of menus, including a main menu and a sub-menu; and
 3. b. a two-dimensional navigation key configured as a single-button including four sets of contact points, wherein the two-dimensional navigation key is configured to select and perform an action corresponding to one of a plurality of main menu items of the main menu and to select and perform an action corresponding to a sub-menu item of the sub-menu associated with a selected main menu item using the four sets of contact points.
1. 2. (Original) The device according to claim 1, wherein at least a portion of the plurality of main menu items is displayed, and further wherein both the main menu and the sub-menu can be accessed by maintaining contact with the two-dimensional key.
1. 3. (Original) The device according to claim 1, wherein the device is configured to allow navigation through the plurality of menus by using the two-dimensional navigation key.
1. 4. (Original) The device according to claim 1, wherein the device is configured to allow navigation through the plurality of menus while maintaining tactile contact with the two-dimensional navigation key.
1. 5. (Original) The device according to claim 1, wherein the device is configured to allow toggling among at least two control levels by a single access of the two-dimensional navigation key.
1. 6. (Original) The device according to claim 1, wherein the device is configured to allow toggling between the main menu and one of the plurality of main menu items by using a

3 first direction of the two-dimensional navigation key and to allow toggling between the
4 selected main menu item and the sub-menu associated with the selected main menu item
5 by using a second direction of the two-dimensional navigation key.

1 7. (Original) The device according to claim 1, wherein the device is configured to allow
2 scrolling among at least two control levels by a single access of the two-dimensional
3 navigation key.

1 8. (Original) The device according to claim 1, wherein the device is configured to display
2 the selected main menu item simultaneously with the sub-menu associated with the
3 selected main menu item.

1 9. (Original) The device according to claim 1, wherein the device is configured to display
2 the selected main menu item simultaneously with a plurality of sub-menu items
3 associated with the selected main menu item.

1 10. (Original) The device according to claim 1, wherein the plurality of menus are organized
2 in a menu tree.

1 11. (Original) The device according to claim 1, wherein the main menu further comprises a
2 main menu item icon representing a main menu item.

1 12. (Original) The device according to claim 11, wherein the device is configured to display
2 the main menu item icon to provide a visual reference to an item in the menu tree of the
3 menu being displayed.

1 13. (Original) The device according to claim 12, wherein when the device displays at least a
2 portion of the main menu, the main menu item icon is displayed in a first appearance, and
3 when the device displays the sub-menu, the main menu item icon is displayed in a second
4 appearance different from the first appearance.

1 14. (Original) The device according to claim 13, wherein the first appearance differs from
2 the second appearance by at least one of size, shape, color, highlighting, and pattern.

- 1 15. (Original) The device according to claim 14, wherein when the device displays the sub-
2 menu, the main menu item icon is displayed in a third size different from the first size and
3 the second size.
 - 1 16. (Original) The device according to claim 9, wherein the main menu further comprises a
2 non-graphical listing of the plurality of sub-menu items of the sub-menu associated with
3 the selected main menu item.
 - 1 17. (Original) The device according to claim 1, wherein the device is a phone.
 - 1 18. (Canceled) A menu-driven wireless telecommunications device comprising:
 - 2 a. a display configured to selectively display at least one of a plurality of menus,
3 including a main menu and a sub-menu; and
 - 4 b. a two-dimensional navigation key configured as a single-button including four
5 sets of contact points, wherein the two-dimensional navigation key is configured
6 to select and perform an action corresponding to one of a plurality of main menu
7 items of the main menu and to select and perform an action corresponding to a
8 sub-menu item of the sub-menu associated with a selected main menu item using
9 the four sets of contact points,
10 wherein the device displays a plurality of sub-menu items.
 - 1 19. (Canceled) The device according to claim 18, wherein when the device displays on the
2 display the sub-menu associated to the selected main menu item, a main menu icon is
3 displayed in the sub-menu to provide a visual reference to the selected main menu item
4 in the menu tree of the menu being displayed.
 - 1 20. (Canceled) The device according to claim 18, wherein the plurality of menus includes a
2 first sub-menu and a second sub-menu, wherein the first sub-menu further comprises a
3 plurality of first sub-menu items and further wherein one of the plurality of first sub-menu
4 items is associated to a second sub-menu.

- 1 21. (Canceled) The device according to claim 20, wherein the second sub-menu further
2 comprises a plurality of second sub-menu items.
 - 1 22. (Canceled) The device according to claim 21, wherein a third orientation of the two-
2 dimensional navigation key is configured to select one of the plurality of second sub-
3 menu items.
 - 1 23. (Previously presented) A menu-driven wireless telecommunications device comprising:
2 a. a display configured to selectively display at least one of a plurality of menus,
3 including a main menu, a first sub-menu, and a second sub-menu; and
4 b. a two-dimensional navigation key configured as a single-button including four
5 sets of contact points, wherein the two-dimensional navigation key is configured
6 to select and perform an action corresponding to one of a plurality of main menu
7 items of the main menu, to select and perform an action corresponding to a first
8 sub-menu item of the first sub-menu associated with a selected main menu item,
9 and further to select and perform an action corresponding to a second sub-menu
10 item of the second sub-menu associated with the selected main menu item using
11 the four sets of contact points.
 - 1 24. (Original) The device according to claim 23, wherein the device is configured to allow
2 scrolling between the main menu and one of the plurality of main menu items by using a
3 first direction of the two-dimensional navigation key, to allow scrolling between the
4 selected main menu item and the first sub-menu associated with the selected main menu
5 item by using a second direction of the two-dimensional navigation key, and further to
6 allow scrolling between the second sub-menu associated with the selected main menu
7 item and a second sub-menu item by using a third direction of the two-dimensional
8 navigation key.
 - 1 25. (Original) The device according to claim 24, wherein the third direction corresponds
2 with the first direction of the two-dimensional navigation key.

- 1 26. (Original) The device according to claim 23, wherein the device is configured to display
2 a main menu item icon to provide a visual reference to an item in a menu tree of the menu
3 being displayed.
- 1 27. (New) A menu-driven wireless telecommunications device comprising:
2 a. a display configured to selectively display at least one of a plurality of menu trees,
3 including a plurality of main menus, each having a plurality of sub-menus; and
4 b. a two-dimensional navigation key configured as a single-button configured to
5 operate along two orthogonal paths such that each of the orthogonal paths has two
6 directions along the path wherein:
7 i. operating the key along a first of the orthogonal paths selects a preferred
8 main menu from among the plurality of main menus;
9 ii. operating the key along a second of the orthogonal paths selects a
10 preferred sub-menu among the plurality of sub-menus; and
11 iii. operating the key along the first orthogonal path activates the selected
12 sub-menu.
- 1 28. (New) The device according to claim 27, wherein when the menu trees have multiple
2 sub-menu levels such that each next level is traversed by changing between the first
3 orthogonal path and the second orthogonal path unto a lowest level is achieved wherein a
4 selected lowest level sub-menu is activated by changing between the first orthogonal path
5 and the second orthogonal path.
- 1 29. (New) The device according to claim 27, wherein the plurality of menus includes a first
2 sub-menu and a second sub-menu, wherein the first sub-menu further comprises a
3 plurality of first sub-menu items and further wherein one of the plurality of first sub-menu
4 items is associated to a second sub-menu.
- 1 30. (New) The device according to claim 29, wherein the second sub-menu further
2 comprises a plurality of second sub-menu items.

- 1 31. (New) The device according to claim 30, wherein a third orientation of the two-
2 dimensional navigation key is configured to select one of the plurality of second sub-
 menu items.